



Material Safety Data Sheet

Creation Date 24-Aug-2009

Revision Date 23-Sep-2009

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Hydrochloric acid
Cat No.	A142-212; A142P-19; A142P-20; A144-212; A144-212LC; A144-500; A144-500LB; A144-500LC; A144-612GAL; A144C-212; A144C-212EA; A144P-19; A144P-20; A144S-212; A144S-212EA; A144S-500; A144SI-212; A466-1; A466-2; A466-2LC; A466-250; A466-500; A481-212; A481-212LC; A508-4; A508-212; A508-212LC; A508-500; A508SK-212; S71942SC; S71943; S71943ND; S80038; SA49
Synonyms	Muriatic acid; Hydrogen chloride; HCl (Technical/Certified ACS Plus/Optima/NF/FCC/Trace Metal Grade)
Recommended Use	Laboratory chemicals
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 703-527-3887

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Causes burns by all exposure routes. May be harmful if inhaled.

Appearance Colorless

Physical State Liquid

odor pungent

Target Organs Skin, Respiratory system, Eyes, Gastrointestinal tract (GI), Liver, Kidney, Teeth

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes

Skin

Inhalation

Ingestion

Causes burns.

Causes burns. May be harmful in contact with skin.

Causes burns. May be harmful if inhaled.

Causes burns. May be harmful if swallowed.

Chronic Effects

Experiments have shown reproductive toxicity effects on laboratory animals. May cause adverse liver effects. May cause adverse kidney effects. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions

Preexisting eye disorders. Skin disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Haz/Non-haz**

Component	CAS-No	Weight %
Water	7732-18-5	62-65
Hydrogen chloride	7647-01-0	35-38

4. FIRST AID MEASURES**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.

Ingestion

Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Flash Point
Method**

No information available.
No information available.

**Autoignition Temperature
Explosion Limits**

No information available.

**Upper
Lower**

No data available
No data available

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire..

Unsuitable Extinguishing Media

No information available.

Hazardous Combustion Products

No information available.

**Sensitivity to mechanical impact
Sensitivity to static discharge**

No information available.
No information available.

Specific Hazards Arising from the Chemical

Corrosive Material. Causes burns by all exposure routes. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health** 3 **Flammability** 0 **Instability** 1 **Physical hazards** N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not get in eyes, on skin, or on clothing.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Handling Use only under a chemical fume hood. Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride	Ceiling: 2 ppm	Ceiling: 7 mg/m ³ Ceiling: 5 ppm (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m ³ Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Hydrogen chloride	Ceiling: 7.5 mg/m ³ Ceiling: 5 ppm	Peak: 7 mg/m ³ Peak: 5 ppm	CEV: 2 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment**Eyeface Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Colorless
odor	pungent
Odor Threshold	No information available.
pH	< 1
Vapor Pressure	125 mbar @ 20 °C
Vapor Density	1.27 (Air = 1.0)
Viscosity	1.8 mPa.s @ 15°C
Boiling Point/Range	57°C / 135°F@ 760 mmHg
Melting Point/Range	-35°C / -31°F
Decomposition temperature °C	No information available.
Flash Point	No information available.
Evaporation Rate	No information available.
Specific Gravity	1.18
Solubility	Soluble in water
log Pow	No data available
Molecular Weight	55.55
Molecular Formula	HCl.H ₂ O

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents, Reducing agents, Bases, Metals
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂), Hydrogen chloride gas
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions .	None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90 mL/kg (Rat)	Not listed	Not listed
Hydrogen chloride	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3124 ppm (Rat) 1 h

Irritation	Causes burns by all exposure routes
Toxicologically Synergistic Products	No information available.

Chronic Toxicity**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Mexico
Hydrogen chloride	Not listed	group 3	Not listed	Not listed	Not listed

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Sensitization

No information available.

Mutagenic Effects

Mutagenic effects have occurred in experimental animals.

Reproductive Effects

Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects

Developmental effects have occurred in experimental animals.

Teratogenicity

Teratogenic effects have occurred in experimental animals..

Other Adverse Effects

See actual entry in RTECS for complete information.

Endocrine Disruptor Information

No information available

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Do not empty into drains.

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available

13. DISPOSAL CONSIDERATIONS**Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION**DOT**

UN-No

UN1789

Proper Shipping Name

HYDROCHLORIC ACID

14. TRANSPORT INFORMATION

Hazard Class 8
Packing Group II

TDG

UN-No UN1789
Proper Shipping Name HYDROCHLORIC ACID
Hazard Class 8
Packing Group II

IATA

UN-No UN1789
Proper Shipping Name Hydrochloric acid
Hazard Class 8
Packing Group II

IMDG/IMO

UN-No UN1789
Proper Shipping Name Hydrochloric acid
Hazard Class 8
Packing Group II

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Water	X	X	-	231-791-2	-		X	-	X	X	KE-35400 X
Hydrogen chloride	T	X	-	231-595-7	-		X	X	X	X	KE-20189 X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrogen chloride	7647-01-0	35-38	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Hydrogen chloride	X	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depleters	Class 2 Ozone Depleters
Hydrogen chloride	X		-

OSHA

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrogen chloride	-	TQ: 5000 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrogen chloride	5000 lb	5000 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydrogen chloride	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrogen chloride	0 lb STQ (anhydrous); 11250 lb STQ (37% concentration or greater)

Other International Regulations**Mexico - Grade**

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D1A Very toxic materials

E Corrosive material

**16. OTHER INFORMATION****Prepared By**

Regulatory Affairs
Thermo Fisher Scientific
Tel: (412) 490-8929

Creation Date

24-Aug-2009

Print Date

23-Sep-2009

Revision Summary

"***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS