

SAFETY DATA SHEET

Creation Date 11-Feb-2010 Revision Date 05-Aug-2015 Revision Number 1

1. Identification

Product Name Sodium hydroxide –Solid disc Pellets

Cat No.:

S318-1

Synonyms Caustic soda; Lye

Recommended Use Laboratory chemical. Used as an Environmental preservative and pH adjustment.

Uses advised against No Information available Details of the

supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTRECÒ, Inside the USA: 800-424-9300
One Reagent Lane CHEMTRECÒ, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals
Causes severe skin burns and eye damage
May cause respiratory irritation



Sodium hydroxide Revision Date 05-Aug-2015

Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Other hazards

Water reactive.

3. Composition / information on ingredients					
Component CAS-No Weight %					
Sodium hydroxide	1310-73-2	> 95			
Sodium carbonate	497-19-8	< 3			

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with

a respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage

Most important symptoms/effects to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically 5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable: use agent most appropriate to extinguish surrounding

fire.

Sodium hydroxide Revision Date 05-Aug-2015

_

Unsuitable Extinguishing Media Carbon dioxide (CO2)

Flash Point Not applicable

Method - No information available

No information available

Autoignition Temperature

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available

Specific Hazards Arising from the Chemical

Sensitivity to Static Discharge

Thermal decomposition can lead to release of irritating gases and vapors. Water reactive. Corrosive Material. Causes severe burns by all exposure routes.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂) Sodium oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

No information available

NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment, Ensure adequate ventilation, Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak. Avoid dust formation. Do

not get in eyes, on skin, or on clothing.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

Methods for Containment and Clean Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for

Up disposal.

7. Handling and storage

HandlingUse only under a chemical fume hood. Wear personal protective equipment. Avoid dust

formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m³ TWA: 2 mg/m³	IDLH: 10 mg/m³ Ceiling: 2 mg/m³
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Sodium hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

_

Sodium hydroxide Revision Date 05-Aug-2015

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety

showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European

Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European

> Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Solid White **Appearance** Odor Odorless

Odor Threshold No information available 14 (5 % Solution) Hq Melting Point/Range 318 °C / 604.4 °F

Boiling Point/Range 1390 °C / 2534 °F @ 760 mmHg

Flash Point Not applicable

Evaporation Rate No information available Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** 1 mmHg @ 739 °C Vapor Density No information available

Relative Density 2.13

Soluble in water Solubility Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available **Viscosity** No information available

Molecular Formula NaOH **Molecular Weight** 40

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Water reactive. Hygroscopic.

Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or **Conditions to Avoid**

water

Water, Metals, Acids Incompatible Materials

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing.

Hazardous Reactions

11. Toxicological information

Sodium hydroxide

Revision Date 05-Aug-2015

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	Not listed	1350 mg/kg (Rabbit)	Not listed
Sodium carbonate	2800 mg/kg (Rat)	> 2000 mg/kg (rabbit)	2.3 mg/l 2h (Rat)

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a

Carcinogenicity carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	Not listed				
Sodium carbonate	497-19-8	Not listed				

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

Developmental Effects No information available. **Teratogenicity** No

information available.

STOT - single exposure Respiratory system STOT - repeated

exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

delayed

perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

No information available

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hydroxide	-	45.4 mg/L LC50 96 h	-	-
Sodium carbonate	J	Lepomis macrochirus: LC50: 300 mg/L/96h Gambusia affinis: LC50: 740 mg/L/96h		265 mg/L EC50 = 48 h

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as

a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Sodium hydroxide Revision Date 05-Aug-2015

14. Transport information

DOT UN-

No UN1823

Proper Shipping Name Sodium hydroxide, solid

Hazard Class 8
Packing Group ||

TDG UN-

No UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group ||

<u>IATA</u>

UN-No UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group ||

IMDG/IMO UN-

No UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing Group ||

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sodium hydroxide	Х	Х	-	215-185- 5	-		Х	Х	Х	Х	Х
Sodium carbonate	Х	X	-	207-838- 8	-		Χ	Χ	Χ	Χ	X

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule T -

Indicates a substance that is the subject of a Section 4 test rule under TSCA.

- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No Reactive Hazard No

Clean Water Act

Component	CWA - Hazardous	CWA - Reportable	CWA - Toxic Pollutants	CWA	- Priority
-	Substances	Quantities		Pollutants	

Sodium hydroxide

Revision Date 05-Aug-2015

Sodium hydroxide	X	1000 lb	-	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium hydroxide	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N DOT Severe

Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class



E Corrosive material

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 11-Feb-2010
Revision Date 205 8Aug-2015

Revision SummaryThis document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

_

Sodium hydroxide Revision Date 05-Aug-2015

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS