C&G Containers Scientific
"The Total Package!"

Office 337.237.7123 www.cgcontainers.com Fax 337.237.8712

CERTIFICATE OF PROCESS AND COMPLIANCE FORM

This "Certificate of Process" represents a processed product from C & G Containers, Inc. Each component has been prepared in accordance with C & G Container's official Standard Operating Procedures on record (C & G SOP-050).

PRODUCT ITEM(S) PROCESSED: Container: 40 mL Amber vial
Closure: White Polypropylene – 24/414 screw threaded cap
Liner: 0.125" PTFE-Silicon Septa

C &G PART No: LAV040869002U01 **C & G LOT No.:** 082726-02EDA

DATE PROCESSED: 27 August 2026 **CHEMICAL EXPIRY DATE*:** 1 March 2028

Container Cleaning Processes:

Process D10 (SOP-C&G 050) / EPA Method 531.2

Chemical Preservatives:

Chemical Name	Amount per Container	Lot Number	Expiration Date
Potassium Dihydrogen Citrate	380 mg	24000132	3/1/2028
Sodium Thiosulfate	6 mg	A0466919	10/29/2029

*** The Chemical Expiry Date assigned to the container reflects the earliest expiration date among the individual chemical components it contains.**

Compliance Verification of Process:

Chief Executive Officer

Date: 2 October 2026

2202 I-49 North Service Rd. Opelousas, La. 70570 USA